

Preparations (Vaccine ordering and delivery)

Briefing for PPP doctors
August 2021





Content

- Vaccine ordering, delivery, receipt and return
 - Reducing vaccine wastage
- Cold chain management in outreach activities
 - Cold box packing
 - Management of cold chain breach





Vaccine ordering

- Please complete and submit the form at least two weeks prior to vaccination day
 - –Type of SIV:
 - IIV for PS Outreach;
 - IIV or LAIV for KG/CCC Outreach;
 - Quantity of vaccines required
 - no. of consented students no. students who have already received SIV this season – those with contraindications SIV vaccination – absent for the 1st dose vaccination (for 2nd dose order)

Vaccine ordering, delivery, receipt and return



1.	Purchase	Fluarix Tetra by GSK (IIV); FluMist by AstraZeneca (LAIV)				
2. (Order	Submit order to DH at least 2 weeks before vaccination				
	Delivery mode	By distributor (1st dose + 2nd dose)	By MO (2 nd dose)			
	Vaccine arrangement	Received by designated staff (with clinic chop)	Vaccines packing by MO under cold chain maintenance			
	Temp. monitoring	Check and record vaccine temperature, date and time upon receipt	Check and monitoring the cold box with temperature monitoring device			
6. I	Return	Return unused vaccine Return unused vaccine to clinic for next vaccination				
7. I	Report	Submit with delivery note on next working day				



Vaccine delivery by distributor

由衛生署職員填寫 備註: 由於訂購後苗及安排運送及收集 (傳真號碼: 2544 3927)	。醫療機構如於發送本表格後三個工作 職員聯絡。請於疫苗接種活動當日帶同	A 本表作天内 作天内 可訂單品	格並 傳真 至衞生等 仍未收到衞生等	野項目 内訂單 人便核	程確認通知, 對疫苗數目。	割科
1. 醫療機構名稱: 2. 負責醫生姓名:	3. 醫生註冊編	6號:	M			
4. 學校名稱: 乙部 疫苗申請款式及數量		每次	(申請只可選		生總人數:	**
小學 □ 注射式 流感疫苗	□ 注射式 流感疫苗	幼稚園 / 幼兒中心 □ 注射式 流感疫苗 或 □ 噴鼻式 流			式 流感疫苗	
1. 由醫健通(資助)系統得出今季 2. 不適合接種人數:(例如:有某思慮 總		(-)	劑劑	第二劑 (-) =	劑劑	
丙部 送貨資料 請在合適的□內加 接種場次		要求担	接收疫苗時間	預	計收集疫苗時	部間
第一劑	年月日		後收疫苗時間 <u>為</u> 接種前一小8 時		請勿於接種當天 更改收集疫苗時間	
學校地址: (頌註明接職總地標單) 模層:						
丁部 聯絡資料						
負責接收疫苗的職員姓名: 手提電話:						
負責醫生簽署及蓋章:						

衞生署

2021 / 22 季節性流感疫苗學校外展 (免費)



注意事項:

- 1. 請醫療機構與衞生署指定的物流商核對剩餘疫苗及冰箱數量後,於此收集記錄上簽署及蓋印作實。
- 2. 醫療機構及物流面均應保留此表格的正/副本並須於收集剩餘疫苗及冰箱後一個工作天內將此表格及收貨發票 傳真至: 衞生防護中心項目管理及疫苗計劃科(傳真號碼: 2544 3927)。

甲部 聯絡資料 (中文/英文)

1.	醫療機構名稱:		
2.	負責醫生姓名:	3.	醫生註冊編號:M
4.	學校名稱:		
5.	學校編號:	6.	接種日期:
_	AND THE PARTY OF T		

乙部 收集詳情及疫苗使用記錄 (收貨發票號碼:

_ OD WATHXXXII	CHIBUSA (ACSESSED AND AND AND AND AND AND AND AND AND AN		
小學	幼稚園及幼兒中心	收集數量	批 號
□ <u>注射式流感疫苗</u>	□ 注射式流感疫苗	十劑裝: 劑	
□ <u>注射式流融授目</u>	□ <u>噴鼻式流感疫苗</u>	單劑裝: 劑 (如適用)	
冰箱連鐵盒(內附	溫度持續記錄器)	個	\bigvee_{i}

丙部 簽署及蓋章

由外展隊職員	填寫	由衞生署指定物流商職員填寫		
簽署:		簽署:		
姓名:		姓名:		
職位:		職位:		
電話:	蓋印	電話:	蓋印	

丁部 疫苗使用記錄 (由外展隊職員填寫)

接收 疫苗數量 (a)	已使用 疫苗數量 (b)	被污染/損壞/已失效 疫苗數量 (c)	剩餘 疫苗數量 (d)* *=(a)-(b)-(c)
十劑裝: 劑	十劑裝: 劑	十劑裝: 劑	十劑裝:劑
單劑裝: 劑	單劑裝: 劑	單劑裝: 劑	單劑裝:劑

SIVSO_D_C1 最後更新: 2021年5月

Vaccine delivery by distributor

新生署 2021 / 22 季節性流感疫苗學校外展 (免費) ○ 新增訂單 □ 東改訂單 由衛生署職員填寫 佐子校 在 中語表格 (傳真號碼: 2544 3927)。醫療機構如於發送本表格後三個工作天內仍未收到衛生署前目管理及疫苗計劃科 (傳真號碼: 2544 3927)。醫療機構如於發送本表格後三個工作天內仍未收到衛生署前訂單確認通知, 過致數 3975 4848 與鄉生署數員關絡。過於疫苗接種活動當日帶同訂單確認過知對收,以便核對疫苗數目。								
甲部 聯絡資料 (中文	工/英文)		※請完	成第-	一劑 接種後才	申請	第二劑 疫	苗※
 醫療機構名稱: 								
2. 負責醫生姓名:			3. 醫生註冊	編號:	M			
4. 學校名稱:			5. 學校編號	: 5	6.	學	生總人數:	
乙部 疫苗申請款式及	數量				7申請只可選	擇	一款疫苗	**
小學			-50		幼兒中心			
口 注射式 流	威疫苗	口注	射式 流感疫苗	i	或 口 噴鼻式 流感疫苗			
					第一劑		第二青	1
1. 由醫健通(資助)系	統得出今季可	可以接種人數				劑		劑
2. 不適合接種人數	(例如:有禁忌症	、最後決定不接種	或 缺席接種今季第	-	(-)	劑	(-)	劑
	總	共申請疫苗數	対量 (乙1 減 2	22):	-	劑	=	劑
丙部 送貨資料 請在	E合適的口内加工	ヒ「イ」號				_		\rightarrow
接種場次		接種	∃期	要求	後收疫苗時間	預	計收集疫苗	時間
第一劑 □ 第二	一次到校 二次到校 學適用) —	年	_月自					
□ 第二劑								
學校地址: (講註明接種地地模層) 								
丁部 聯絡資料								
負責接收疫苗的職員	姓名:		手提電	話:				
在来源 4.处现立被第 。								

Delivery arrangement:

- To cover more students, before the peak of the flu season
- Occasionally, vaccine delivery and collection time may be slightly delay
- Last moment change, PPP team may have to wait



PPP doctors self-delivery of 2nd dose vaccine to schools

- Please make sure you have proper storage fridge and adequate space for storing the vaccines.
- Choice of refrigerators:
 - PBVR
 - Domestic frost-free refrigerators (with or without freezer compartment) with precautions (refer to VSS Doctors' Guide)
- Clinic's fridge may store other vaccines at the same time



Self delivery

	訂單編號	衞生	生署		表格	
	2021	2021 / 22 季節性流感疫苗學校外展 (免費)				
	疫苗申請表格			口 更改訂單		
	由衞生署職員填寫 送診所(第二劑適用)			由醫療機構填算		
	備註: 由於訂購疫苗及安排運送需時,	請於 接種日期最少兩	星期前 填妥本表格並	傳真 至衞生署	項目管理及疫苗計劃	
	(傳真號碼: 2544 3927)	。醫療機構如於發送本	表格後三個工作天內	仍未收到衞生署的		
		讀致電 3975 48	348 與衞生署職員聯絡	•		
	甲部 聯絡資料 (中文/英文)		※請完成 第一	一劑 接種後才	申請 第二劑 疫苗	
	1. 醫療機構名稱:					
	2. 負責醫生姓名:		3. 醫生註冊編號	號: <u>M</u>		
	乙部 疫苗申請款式		** 每張	表格只可選擇	翠 一款 疫苗	
	小學		幼稚園 /	幼兒中心		
,	□ 注射式 流感疫苗	或口注射:	式 流感疫苗	或口噴	[鼻式 流感疫苗	
2	疫苗申請數量					
	學校名稱	接種日期 (年/月/日)	(a) 同意接種 第二劑疫苗人數	(b) 今季缺席 接種第一劑人	1 10434420	
	1.	/ /				
	學校編號:()				-	
	2. 學校編號:()	/ /			(+)	
	3.	/ /			(+)	
	學校編號:()	, ,				
	4. 學校編號:()	/ /			(+)	
	5.				(1)	
	學校編號:()	/ /			(+)	
		6. í	合計申請數量 (丙1至丙5總和) = 7	
		减 7. 診所	内 該款 政府疫	苗剩餘數量	(-) 7	
			申請總數量			
	The state of the s	<u>Æ</u>	十明初数	<u>私</u> (內 0 減 內 /) -)	
丁部 送貨資料						
診所地址: (講註明接收場地樓屬)						
	填寫申請表格		註: 疫苗將於貴		書的 五個工作天後 送	
	的日期: 年 — 年	月 日			下午二時至下午五時	
			< 星期六	、, 日及公眾假期將	不會 安排送貨 >	

聯絡電話:

2nd dose vaccine ordersend to clinic:

- Increase the flexibility
- Each type of vaccine should place 1 vaccine order form
 - Combine the 2nd dose vaccine orders
 - To minimize the wastage, the order quantity should be deducted from the no. of dose remaining from the previous vaccinations under the cold chain management

負責醫生簽署及蓋章:

負責接收疫苗的職員姓名:



Self delivery

衞生署							
2021 / 22 季節性流感疫苗學校外展 (免費)							
	疫苗使用記錄						
	自行攜帶 (第二劑適用)					
注意事項:							
	法企业 /						
甲部 聯絡資料 (中文/英文)							
 醫療機構名稱: 							
2. 負責醫生姓名:	3. 醫生註冊:	編號:M					
4. 學校名稱:							
5. 學校編號: 6. 接種日期:							
乙部 疫苗使用記錄 (收貨發票號碼:)							
小學	幼稚園及幼兒中心	疫苗批號					

由醫療機構運送到校的 疫苗數量 (a)	已使用 疫苗數量 (b)	被污染/損壞/已失效 疫苗數量 (c)	剩餘疫苗數量 (d)* *=(a)-(b)-(c)
十劑裝: 劑	十劑裝: 劑	十劑裝: 劑	十劑裝: 劑
單劑裝: 劑	單劑裝: 劑	單劑裝: 劑	單劑裝: 劑

□ 注射式 流感疫苗

丙部	簽署及蓋章	(由外展隊職員填寫)	
簽署	:		
姓名	:		
職位	:		
電話	:		醫療機構蓋印

- All unused vaccines have to return to the clinic.
 - Vaccines inside the cold box should be properly stored in the clinic fridge for the next vaccination
 - Vaccines have been taken out from the cold box, store them up for collection
- The PPP doctor may be asked to explain if the wastage rate (no. of doses damaged & no. of doses remaining) is considered too high
- PPP doctors must return all unused/ surplus vaccines after the last school outreach vaccination.

Reducing vaccine wastage



- To reduce vaccine wastage, PPP doctors are advised to
 - Order the exact number of doses required only.
 - Inform DH promptly if there are any changes in number of eligible students.
 - Put the vaccines out shortly before use; use single pack vaccines near the end of the activities
- The vaccine wastage will be monitored closely.
 - PPP doctor may be asked to explain if the wastage rate is considered too high (usually not more than 5%).
 - If no reasonable explanation can be given, participation of the doctor to the programme in the future may be affected.
 - The vaccines are Government Property and are provided to the doctors
 solely for vaccination to eligible recipients.



PART II

Self-delivery
Cold box packing



Cold Chain Management

- The breach in the cold chain may render the vaccines ineffective.
- All the SIVs (IIV and LAIV) provided by DH should be kept between +2°C and +8°C.
- In case of temperature excursion:
 - Record the range, date and duration of temperature breach;
 - Report the incident and consult the PMVD
 - The affected vaccines should not be used until all queries are clarified.



Cold box packing

- Appropriate equipment should be used for vaccine transport and on-site storage.
- Includes:
 - Cold boxes
 - Ice packs
 - Insulating materials (e.g. bubble wrap or carton)
 - Temperature data loggers / maximumminimum thermometers
- The setup should be tested for insulation time and temperature stability before it is used.





Cold box packing

For reference only

最低層



















1,7: Ice pack

2,6: Carton

4: Vaccines

3,5,8: Bubble wrap







Cold box packing

- Transport only the quantity required for the event.
- Remove vaccines from the refrigerator just before use.
- Monitor the cold chain during vaccine transport.
- Use a temperature data logger/ digital maximumminimum thermometer to monitor the vaccine temperature.









Record vaccine temperature

- Record the time and vaccine temperature:
 - when vaccines are removed from the refrigerator,
 - at the start of a vaccination activity,
 - at the end of the vaccination activity, and
 - before returning the vaccines to the refrigerator.
- This helps to identify any cold chain breaches and assess its impact on vaccine quality.
- Monitor vaccine storage fridge 3 times daily




Handling vaccines and cold boxes in outreach activities

- Keep cold boxes properly closed and avoid frequent opening.
- Do not put ice packs in direct contact with vaccines.
- Place adequate insulating materials between conditioned ice packs and vaccines to prevent freezing.
- Keep sufficient stock of frozen ice packs to meet the needs of vaccine transport.
- Keep vaccines in original packing prior to vaccination.
- Keep vaccines and cold boxes away from direct sunlight.

Management of cold chain breach

- Establish protocols for responding to cold chain breach.
- Immediately isolate the affected vaccines and label "Do NOT use".;
 - Record the range, date and duration of temperature breach; Report the incident and consult the PMVD.
 - The affected vaccines should not be used until all queries are clarified.
 - If the affected vaccines have been administered to any vaccine recipients, the PPP doctor should report it as Clinical Incident to PMVD within the same day.









輸入查詢字串



हिन्दी (印度文) | नेपाली (尼泊爾文) | الده (巴基斯坦文) | ไทย (泰文) | Bahasa Indonesia (印尼文) | Tagalog (菲律賓文)

熱門搜尋: 2019冠狀病毒病, 疫苗, 檢疫, 大廈, 確診個案

關於我們 健康資訊 指引 資源 健康統計數字 傳媒天地 其他

佈置場地及暫存醫療廢物的短片 - 參與季節性流感疫苗學校外展 (免費) 醫生



★ 主頁 > 專題報導 > 疫苗接種計劃 > 佈置場地及暫存醫療廢物的短片 - 參與季節性流感疫苗學校外展 (免費)醫生

佈置場地及暫存醫療廢物的短片 - 參與季節性流感疫苗學校外展 (免費) 醫生



へ質首



如何將疫苗妥善裝箱

需要帶到疫苗接種場所的物資

接收疫苗的程序

學校外展疫苗接種計劃學校場地及流程安排

疫苗接種技巧

急救包裝備

醫療廢物的處理與收集





THANK YOU